



## Oil Free Portable Compressor

**Stage II, Stage IIIA, Stage V, Tier 4**

Perfect choice for power stations, automotive, food, petrochemical and pharmaceuticals industries, as well as in refineries.



 Shanghai/China & Gillingham/United Kingdom  
 sales@kotechgroup.com  
 0086-21 57661697  
 www.kotechgroup.net



Class Zero ISO 8573-1 Oil Free Compressed Air, dedicated dry oil free screw air end, two stages of compression, no oil in the compression chamber, providing client with clean and 100% oil free air.


- Adjustable compressed air discharge temperature
- Pressure adjustment with engine speed regulation
- High working ambient temperature
- Compressed air aftercooler
- Additional engine oil tank
- Bigger fuel tank
- Connection to external fuel supply
- Diesel Engine
- Heavy duty Donaldson air filter
- Separate inlet air.
- Silencer installed.
- Multi-language PLC option.
- Fully accessible roof with service ladder
- Forklift pockets

World famous diesel engine Cummins, Volvo and etc.

Emissions Stage II, Stage IIIA, Stage V, Tier 4 as required.



Germany GHH two stage oil free air end featured with precision-machined rotors and gearing, advanced UltrCoat rotor protection, anti-friction bearings, stainless-steel air seals, and a unique labyrinth oil seal design, all ensuring years of reliable trouble-free operation.







**100% Oil Free Air**

**Environment**

**Low Consumption**

**Super Silent**

**Easy to Use**

**Safety**

Technical Specifications

Model	Diesel Engine	Engine Power KW	Working Pressure			Air Delivery	
			Bar	Mpa	Psi	m3/min	cfm
KOP-12/8	QSB4.5-C160	119	8	0.8	116	12	424
KOP-17/7	QSB5.9-C180	132	7	0.7	100	17	600
KOP-21/7	QSB5.9-C180	132	7	0.7	100	21	742
KOP-15/10	QSB5.9-C210	154	10	1.0	145	15	530
KOP-27/10.3	QSL8.9-C325	242	10.3	1.03	150	27	954
KOP-38/10.3	QSZ13-C550	410	10.3	1.03	150	38	1342
KOP-42/10	QSZ13-C550	410	10	1.0	145	42	1483
KOP-43/8.6	QSZ13-C550	410	8.6	0.86	125	43	1518
KOP-43/9.3	QSZ13-C550	410	9.3	0.93	135	43	1518
KOP-45/10.3	QSZ13-C550	410	10.3	1.03	150	45	1589
KOP-46/7	QSZ13-C550	410	7	0.7	100	46	1624
KOP-48/8	QSZ13-C550	410	8	0.8	116	48	1695